AUTHOR INDEX, VOLUME 12

Acierno, D., Titomanlio, G., and Marrucci, G.: Dilute Solution Rheology of Flexible Macromolecules (Bead-Rod Model), 2177

——: See Nicolais, L.:

Ahuja, R. C.: See Pillai, P. K. C.

Aoki, K.: See Yano, S.

Arai, H., Wada, T., and Kuriyama, I.: Effect of Polymerization Temperature on the Original Morphology of Polyethylene Prepared by γ-Ray-Induced Polymerization, 2423

Arenz, R. J.: Effect of Crosslinking Density on Biaxial Relaxation of SBR by Using Reduced Variables, 131

Armstrong, A. A., Jr.: See Murayama, T.

Assink, R.: Plasticization of Polydimethyl Siloxane by High-Pressure Gases, 2281

Bair, H. E.: See Otocka, E. P.

Baltog, I.: See Lupu, A.

Bartosiewicz, L., and Mencik, Z.: An Etching Technique to Reveal the Supermolecular Structure of Crystalline Polymers, 1163

Baughman, R. H.: Solid-State Synthesis of Large Polymer Single Crystals, 1511

——, Exarhos, G. J., and Risen, W. M. Jr.: Electron Delocalization Contribution to Single-Crystal Thermal Expansion of Polydiacetylene, 2189

Bazua, E. R., and Williams, M. C.: Rheological Properties of Internal Viscosity Models with Stress Symmetry, 825

Bearman, R. J.: See Lundstrom, J. E.

Beevers, R.: Polymer Characterization by Refractometry, 1407

Berger, P. A.: See Nielsen, L. E.

Berghmans, H.: See Groeninckx, G.

Berlin, K. D.: See Norrell, C. J.

Berry, G., and Eisaman, P.: Cryoscopy on Sulfuric Acid Solutions of a Heterocyclic Polymer (BBB) and Related Compounds, 2253

Berry, G. C.: See Tanner, D. W.

Bertelsen, J. V., and Lingard, A.: The Interpretation of the General Debye Function as a Distribution of Relaxation Times, 1707

Block, I.: See Hamanoue, K.

Bohm, G. G. A.: See Pearson, D. S.

Bohm, L. L., Casper, R. H., and Schulz, G. V.: Precipitation Chromatography. III. Optimization of the Experimental Conditions and Determination of the Polydispersity of Fractions, 239

Bonner, D. C., and Prausnitz, J. M.: Thermodynamic Properties of some Concentrated Polymer Solutions, 51

Borisov, V. A.: See Nikolskii, V. G.

Bourland, L.: See Prudhomme, R. E.

Bree, H. W., Heijboer, J., Struik, L. C. E., and Tak, A. G. M.: The Effect of Densification on the Mechanical Properties of Amorphous Glassy Polymers, 1857

Brown, D. W., Lowry, R. E., and Wall, A.: Glass and Melting Transitions of Copolymers of Tetrafluoroethylene with Propylene and Isobutylene, 1303

Bunget, I.: See Lupu, A.

Burns, C. M.: See Lau, W. W. Y.

Casassa, E. F.: Molecular Mass Distribution in Self-Condensation of a Trifunctional Monomer, 809

Casper, R. H.: See Bohm, L. L.

Cayrol, B., and Peterman, J.: Elastic Hard Polyethylene Fibers, 2169

Cessac, G. L., and Curro, G.: Raman Scattering in Uniaxially Oriented Samples of Planar Zigzag Poly (vinylidiene Fluoride), 695

Challa, G.: See Lemstra, P. J.

Chang, C., Peiffer, D., and Stein, R. S.: Form Birefringence of Crystalline Polymers, 1441

——: See Yoon, D. Y.

Chang, Y. J., Chen, C. T. and Tobolsky, A. V.: Correlations Between Types of Absorbed Water Molecules and Water Permeability in Swollen Polymer Membranes, 1

Chanzy, H. D., and Roche, E. J.: Cellulose Triacetate Single Crystals Grown from Solution at High Temperature Without Inclusion of Solvent, 1117

——, and Roche, E. J.: Change in Fibrous Morphology During the Transformation of Cellulose Triacetate I to Triacetate II, 2583

Chatani, Y.: See Tanaka, T.

Chen, C. T.: See Chang, Y. J.

Chompff, A. J.: See Mencik, Z.

Chou, T-W.: See Kleiner, L. W.

Coleman, B. D., and Markovitz, H.: Asymptotic Relations Between Shear Stresses and Normal Stresses in General Incompressable Fluids, 2195

Coleman, M. M., Koenig, J. L., and Shelton, J. R.: Vibrational Spectra of Thiuram Sulfides: Normal Coordinate Analysis of Tetramethylthiuram Mono-, Di-, and Tetrasulfides, 1001

——, Tabb, D. L., Farmer, B. L., and Koenig, J. L.: Normal Coordinate Analysis of *Cis*-1,4,-Polybutadiene, 445

Cook, W. D., and Delatycki, O.: Relaxations in the Transition Region of Crosslinked Polyesters. I. The β Relaxation, 2111

——, and ——: Relaxation in the Transition Region of Crosslinked Polyesters. II. The Glass Transition, 1925

Cooper, A. R.: Gel Permeation Chromatography: Examination of Column Efficiency, 1969

Cowie, J. M. G., and Maconnachie, A.: Studies on Amylose and Its Derivatives. X. Dilute Solution Conformation of Amylose Tripropionate, 407

——, and McEwen, I. J.: Lower Critical Solution Temperatures of Polypropylene Solutions, 441

Curro, J. G.: See Cessac, G. L.

Dahm, D. J.: See Nielsen, L. E.

Davis, L. A.: Free-Radical Decay in Irradiated PMMA, 75

Debolt, L. C.: See Liberman, H. M.

Delatycki, O.: See Cook, W. D.

——: See Ebdon, M. P.

De Ligny, C. L.: See Hammers, W. E.

Doddi, N., Forsman, W. C., and Price, C. C.: Unperturbed Dimensions of Isotactic Poly(tert-Butylethylene Oxide), 1395

Dusek, K.: Quasichemical Approach to Crosslinked Polymer Solutions and the Swelling Equation for Polycondensation Networks, 1089

Ebdon, M. P., Williams, J. G., and Delatycki, O.: Dynamic Properties of Glass-Filled Epoxy Resin, 1555

Einaga, Y.: See Kurata, M.

Eirich, F. R.: See Ziegel, K. D.

Eisaman, P.: See Berry, G.

Exarhos, G. J.: See Baughman, R. H.

Farmer, B. L.: See Coleman, M. M.

Faucher, J. A.: The Modulus of Block Copolymers, 2153

Fedors, R. F.: Effect of Degree of Crosslinking on the Tearing Energy, 289

Ferry, J.: See Kramer, O.

Fisa, B., Revol, J., and Marchessault, R.: Crystallization During Polymerization of Ethylene: Successive Events, 2309

Flack, H. D.: Sliding in Polytetrafluoroethylene Crystals, 81

Flory, P. J.: See Liberman, M. H.

Forsman, W. C.: See Doddi, N.

Fortelný, I.: Solvent Effects in Flow Birefringence of Polymer Solutions. General Theory and Discussion of Form Effects, 2319

Fourche, G.: See Lemaire, B.

Fredericks, R. J.: See Shalaby, S. W.

Frommer, M. A.: See Shporer, M.

Frosini, V., Magagnini, P. L., and Newman, B. A.: Calorimetric Study of Free-Radical Polymerized Poly(*p*-biphenyl Acrylate) and Poly (*p*-cyclohexylphenyl Acrylate), 23

Fujii, M., Shimada, J., and Yamakawa, H.: Statistical Mechanics of Two-Dimensional Wormlike Chains, 1327

——: See Shimada, J.

Fukuda, M., Fukutomi, M. Kato, Y., and Hashimoto, T.: Solution Properties of High Molecular Weight Polystyrene, 871

Fukutomi, M.: See Fukuda, M.

Funt, J. M., and Magill, J. J.: Thermal Decomposition of Polystyrene: Effect of Molecular Weight, 217

Galeski, A., and Kryszewski, M.: Small-Angle Light Scattering from Hedrites, Ovoids, and Spiral Ovoids. I. Theoretical Considerations, 455

——, and ——: Small-Angle SLight cattering from Hedrites, Ovoids, and Spiral Ovoids. II. Experimental, 471

Gasper, S. P.: See Tan, J. S.

Genin, Ya. V.: See Gerasimov, V. I.

Gerasimov, V. I., Genin, Ya. V., and Tsvankin, D. Ya.: Small-Angle Study of Deformed Bulk Polyethylene, 2035

Gilmour, I., Trainc:, A., and Haward, R. N.: The Determination of the Buld Modulus in a Constrained Solid, 1939

Giurgea, M.: See Lupu, A.

Gluck, P.: See Lupu, A.

Go, S., Mandelkern, L., Prud'homme, R., and Stein, R.: Light Scattering Studies of Narrow Fractions of Polyethylene, 1485

——: See Kloos, F.

Godovsky, Yu. K., and Slonimsky, G. L.: Kinetics of Polymer Crystallization from the Melt (Calorimetric Approach), 1053

Graessley, W. W., and Pennline, H. W.: Flow Properties of Poly(methyl Methacrylate) Solutions, 2347

——, and Shinbach, E. S.: Flow Properties of Branched Polydisperse Polymers, 2047

——: See Penwell, R. C.

Greco, R.: See Kramer, O.

Groeninckx, G., Berghmans, H., Overbergh, N., and Smets, G.: Crystallization of Poly (ethylene Terephthalate) Induced by Inorganic Compounds. I. Crystallization Behavior from the Glassy State in a Low-Temperature Region, 303

Guillet, J. E.: See Mitchell, R. S.

Hadjichristidis, N., and Roovers, J.: The Synthesis and Solution Properties of Linear Four-Branched and Six-Branched Star Polyisoprenes, 2521

Hama, Y., Nishi, K., Watanabe, K., and Shinohara, K.: Electron Trapping and Luminescence Mechanism in Thermoluminescence of Irradiated Polycarbonate, 1109

Hamanoue, K., Shimizu, M., Higaki, H., Block, I., and Silverman, J.: Electron Spin Resonance Study of Free Radicals in the Radiation Grafting of Butadiene to Poly (vinyl Chloride), 1189

Hammers, W. E., and De Ligny, C. L.: Determination of the Flory-Huggins χ Parameters, the Heat of Dilution, and the Excess Heat Capacity of Some Alkanes in Polydimethylsikoxand by Gas Chromatography, 2065

Hashimoto, T.: See Fukuda, M.

——: See Kato, Y.

Hassan, A. M.: NMR Spectrum of Poly (vinyl Chloride), 655

Hatakeyama, T.: See Ito, E.

Haward, N.: See Rackley, F. A.

Haward, R. N.: See Gilmour, I.

Hayakawa, R., and Wada, Y.: Theory of the Local Mode Relaxation in the Glassy State of Polymers, 2119

Heijoboer, J.: See Bree, H. W.

Heleskivi, J.: See Lofgren, B.

Hermans, J. J.: See Szu, S. C.

Herrick, C. S.: Random Chain Scission of Polystyrene in Electron Irradiated Solution, 1849

Higaki, H.: See Hamanoue, K.

Hutchinson, J. M., McCrum, N. G., and Pearce, D. L.: Study of the Mechanism of Creep Recovery by the T-Jump Technique, 1255

Ieda, M.: See Sawa, G.

Iijima, T.: See Komiyama, J.

Inaba, T.: See Ogawa, T.

Inamura, I., Ochiai, H., and Yamamura, H.: Effects of Swelling and Annealing on the Viscoelastic Behavior of Melt-Crystallized and Solution-Crystallized Polypropylene, 2267

Ishida, Y.: See Osaki, S.

——: See Tanaka, A.

Ishikawa, K.: See Sakurai, K.

Ito, E., and Hatakeyama, T.: Studies of the Amorphous Region of Polymers. I. Relationship Between the Change of Structure and Glass-Transition Temperature in Drawn Poly(ethylene Terephthalate), 1477

Ito, H.: See Matsuzaki, K.

Ito, O.: See Sawa, G.

Ito, Y., and Shishido, S.: Modified Graessley Theory for Non-Newtonian Viscosities of Polydimethylsiloxanes and Their Solutions, 617

Janáček, J.: See Nicolais, L.

Johnson, J. F.: See Martin, J. R.

Kaji, K., and Sakurada, I.: Crystallite Size Determination of Nylon 6 by Wallner's Method, 1491

——, Shintaku, T., Nakamae, K., and Sakurada, I.: Elastic Modulus of Poly(isobutylene Oxide) Crystals Parallel to the Chain Axis, 1457

Kanamoto, T., and Tanaka, K.: Morphology and Fold Length of Single Crystals in Linear Aliphatic Polyesters, 2435

Kanetsuna, H.: See Kyotani, M.

——: See Maeda, Y.

Kaplonov, M. Ya.: See Nikolskii, V. G.

Kardos, J. L.: See Nielsen, L. E.

Kato, Y., and Hashimoto, T.: Solvent Dependence of Concentration Effect in Gel-Permeation Chromatography, 813

——, Kido, S., Yamamoto, M., and Hashimoto, T.: High-Speed Gel-Permeation Chromatography, 1339

——: See Fukuda, M.

Kawai, H.: See Nomura, S.

Kemp, D. R., and Paul, D. R.: Gas Sorption in Polymer Membranes Containing Adsorptive Fillers, 485

Kendall, K.: Effect of Relaxation Properties on the Adhesion of Rubber, 295

Kido, S.: See Kato, Y.

Kitagawa, M., and Motomura, K.: Craze and Crack Growth in Polycarbonate, 1979

Kleiner, L. W., Radloff, M. R., Schultz, J. M. and Chou, T-W.: Spherulite Size Effects in Linear Polyethylene, 819

Klement, W. Jr.: Study of the Transition in Liquid Sulfur with a Differential Scanning Calorimeter, 815

Kloos, F., Go, S., and Mandelkern, L.: Electron Microscope Study of Low Molecular Weight Fractions of Linear Polyethylene, 1145

Koenig, J. L.: See Coleman, M. M.

Koizumi, N.: See Yano, S.

Kojima, M., Magill, J. H., and Merker, R. L.: Morphology of Siloxane Block Copolymers: Tetramethyl-*p*-silphenylene Siloxane-Dimethylsiloxane, 317

Koleske, J. V.: See Wilson, T. P.

Komiyama, J., and Iijima, T.: Diffusion of Monoanionic Dyes in Nylon, 1465

Konstantinopolskaya, M. B.: see Nikolskii, V. G.

Korsukov, V. E.: See Zhurkov, S. N.

Kovacs, A.: See Penwell, R. C.

Kramer, E. J.: See Thomas, E. L.

Kramer, O., Greco, R., Niera, R. A., and Ferry, J.: Rubber Networks Containing Unattached Macromolecules. I. Linear Viscoelastic Properties of the System Butyl Rubber-Polyisobutylene, 2361

Kratochvil, P.: See Stejskal, J.

Kryszewski, M.: See Galeski, A.

Kuchihara, Y.: See Mori, T.

Kurata, M., Osaki, K., Einaga, Y., and Sugie, T.: Effect of Molecular Weight Distribution on Viscoelastic Properties of Polymers, 849

Kuriyama, I.: See Arai, H.

Kyotani, M., and Kenetsuna, H.: Crystallization Kinetics of Polyethylene Under High Pressure, 2331

Lambert, M.: See Pineri, M.

Langley, N. R., and Polmanteer, K. E.: Relation of Elastic Modulus to Crosslink and Entanglement Concentrations in Rubber Networks, 1023

Lau, W. W. Y., and Burns, C. M.: Effect of Temperature and Molecular Weight on the Rate of Spreading of Polystyrene Melts on Plane Soda Lime Glass Surfaces, 431

Leary, D. G., and Williams, M. C.: Statistical Thermodynamics of ABA Block Copolymers. III. Microstructural and Model Verification, 265

Lednicky, F.: See Pelzbauer, Z.

Lemaire, B., and Fourche, G.: Excluded Volume Effect for Various Chain Models. II. Application to Optical Anisotropy and End-to-End Distance of Branched Polymers, 1137

——, ——, and Sanchez, E.: Excluded-Volume Effect for Various Chain Models. I. Application to Optical Anisotropy and End-to-End Distance of Linear Polymers, 417

Lemstra, P. J., Schouten, A. J., and Challa, G.: Secondary Crystallization of Isotactic Polystyrene, 1565

Levelut, A. M.: See Pineri, M.

Liberman, M. H., Debolt, L. C., and Flory, P. J.: Optical Anisotropy of Polyisobutylene: Strain Birefringence, 187

Lindard, A.: See Bertelsen, J. V.
Litmanovich, A. D.: See Naoh, O. V.
Lofgren, B., Sipilla, R., and Heleskivi, J.: Dielectric Properties of Some Semiconducting Polyazophenylenes, 1547
Lowry, R. E.: See Brown, D. W.
Lundstrom, J. E., and Bearman, R. J.: Inert Gas Permeation Through Homopolymer Membranes, 97
Lupu, A., and Bunget, I.: Evidence of Molecular Relaxation Derived from Transient Phenomena in Poly(vinyl Chloride), 2409
——, Giurgea, M., Baltog, I., and Gluck, P.: On the Mechanics of dc Electrical Conductivity in Poly(vinyl Chloride), 2399
Maconnachie, A.: See Cowie, J. M. G.
Maeda, Y., and Kanetsuna, H.: Crystallization and Melting of Polyethylene Under High Pressure. I. Crystallization by Slow Cooling from the Melt, 2551
Magagnini, P. L.: See Frosini, V.
Magill, J. H.: See Funt, J. M.
——: See Kojima, M.
Mandelkern, L.: See Go, S.
——: See Kloos, F.
Manley, R. St. J.: Gel-Permeation Chromatographic Studies of Cellulose Degradation. III. Methanolysis of Cellulose, 1347
Marchessault, R.: See Fisa, B.
Marchetti, A., and Martuscelli, E.: Effect of Chain Defects on the Morphology and Thermal Behavior of Solution-Grown Single Crystals of Syndiotactic Polypropylene, 1649
Mark, J. E.: Thermoelastic Properties of Chemical Copolymers, 1207
——: See Thomas, G. B.
Markovitz, H.: See Coleman, B. D.
——: See Murray, A. D.
Marrucci, G.: See Acierno, D.
Martin, J. R., and Johnson, J. F.: Edge Yielding in Poly(vinyl Chloride) Films, 579
——, and ——: Molecular Weight-Mechanical Property Interrelationships. V. Poly(vinyl Chloride) Fracture Surfaces: The Effect of Molecular Weight and Vapor Environment, 1081
Martuscelli, E.: See Marchetti, A.
Matsuo, M.: See Nomura, S.
Matsuzaki, K., and Ito, H.: Conformational Analysis of Poly(ethylene Oxide) and Model Compounds by Nuclear Magnetic Resonance Spectroscopy, 2507
McCrum, N. G.: See Hutchinson, J. M.
Mehta, A.: See Wunderlich, B.
Mencik, Z., and Chompff, A. J.: Crystalline Texture of Injection-Molded Nylon 6, 977
——: See Bartosiewicz, L.
Merker, R. L.: See Kojima, M.
Meyer, C.: See Pineri, M.
Misra, A., Prud'homme, R. E., and Stein, R. S.: Distribution of Spherulites in a Polyethylene Sample, 1235
Mitchell, R. S., and Guillet, J. E.: Brillouin Scattering in Amorphous Polymeric Solids, 713
Miyasaka, K.: See Sakurai, K.
Mori, T., Kuchihara, Y., Tanaka, H., and Tanaka, T.: Synthesis and Dynamic Mechanical Properties of Heterogeneous Network Polymers from Poly (L-glutamic Acid) and poly(oxyethylene Glycol), 501
Morita, S.: See Sawa, G.
Motomura, K.: See Kitagawa, M.
Mucha, M., and Wunderlich, B.: Crystallization During Polymerization of Diazomethane. I. The Boron Trifluoride Catalyzed Reaction, 1993
Murayama, T., and Armstrong, A. A., Jr.: New Apparatus for the Immersion of Test Sample In a Liquid Medium on Rheovibron Viscoelastometer, 1211
Murray, A. D., and Markovitz, H.: Effect of Morphology on the Dynamic Mechanical Properties of a Semicrystalline Polysiloxane, 587
Murty, V. S.: See Nielsen, L. E.
Nagamura, T., and Takayanagi, M.: ESR Study of Radicals Formed During Tensile Deformation of Poly[*p*-(2-hydroxyethoxy)Benzoic Acid] Fibers, 2019
Nagasawa, T., and Shimomura, Y.: Mechanism of Formation of Shish Kebab Structures, 2291
Nakajima, H., and Wada, Y.: Dynamic Viscosity of Dilute Solutions of Poly (L-glutamic Acid), 795
——: See Okamoto, H.
Nakamae, K.: See Kaji, K.

Nakano, S.: Dilute Solution Properties and Phase Separation of Branched Low-Density Polyethylene, 1499

Naoh, O. V., Litmanovich, A. D., and Plate, N. A.: The Quantitative Approach to the Composition Heterogeneity of the Products of Polymer Reactions, 1711

Natarajan, R. T.: See Prud'homme, R. E.

Neira, R. A.: See Kramer, O.

Newman, B. A.: See Frosini, V.

Nicolais, L., Acierno, D., Štol, M., and Janáček, J.: Mechanical Behavior of Crosslinked and Branched Poly(2-hydroxyethyl Methacrylate) Above and Below the Glass Transition, 2579

Nielsen, L. E., Dahm, D. J., Berger, P. A., Murty, V. S., and Kardos, J. L.: Fracture Processes in Styrene Polymers: SAXS and ESR Studies, 1239

Nikolskii, V. G., Zlatkevich, L. Yr., Borisov, V. A., and Kaplunov, M. Ya.: Radiothermoluminescence. I. Radiothermoluminescence for Investigation of Thermal and Radiation-Induced Crosslinking of Rubber Mixtures, 1259

——, ——, Konstantinopolskaya, M. B., Osintseva, L. A. and Sokolskii, V. A.: Radiothermoluminescence. II. Radiothermoluminescence of Polyethylene with Different Chain Conformations, 1267

Nishi, K.: See Hama, Y.

Nishi, T.: Effect of Solvent and Carbon Black Species on the Rubber-Carbon Black Interactions Studied by Pulsed NMR, 685

Nomura, S., Matsuo, M., and Kawai, H.: Crystal Orientation in a Semi-Crystalline Polymer in Relation to Deformation of Polymer Spherulites. III. Small-Angle Light Scattering, 1371

Norrell, C. J., Pohl, H. A., Thomas, M. and Berlin, K. D.: Electronic Conduction Conduction and Polarization in Polyphthalocyanines, 913

Ochiai, H.: See Inamura, I.

Ogawa, T., and Inaba, T.: Analysis of Fractionation of Ethylene-Propylene Copolymers, 785

Okamoto, H., Nakajima, H., and Wada, Y.: Dynamic Viscosity of Dilute Aqueous Solutions of Poly(acrylic Acid) at Frequencies of 2–500 kHz, 1035

——, and Wada, Y.: Viscoelastic and Viscometric Studies of the Conformational Transformation of Poly(methacrylic Acid) in Dilute Aqueous Solution, 2413

Olf, H. G., and Peterlin, A.: Crazing and Fracture in Crystalline Isotactic Polypropylene and the Effect of Morphology, Gaseous Environments, and Temperature, 2209

——, ——, and Peticolas, W. L.: Laser-Raman Study of the Longitudinal Acoustic Mode in Polyethylene, 359

Ong, C. S. M., and Stein, R. S.: Stress Strain, and Birefringence Relations of Swollen cis - 1,4 - Polybutadiene Crosslinked in Solution, 1599

——, and ——: Optical Studies of the Deformation of Model Filled Rubbers, 1899

Ong, C., Yoon, D. Y., and Stein, R. S.: Correct Measurement of Birefringence in a Nonuniform Medium, 1319

Oono, R.: Stress Relaxation in Carbon-Black-Filled Styrene-Butadiene Rubber, 1383

Osaki, K.: See Kurata, M.

Osaki, S., and Ishida, Y.: Dielectric Behavior of Poly(vinylidene Fluoride) in the Melt and in the Solution-Grown Crystal Mat, 1727

Osintseva, L. A.: See Nikolskii, V. G.

Otocka, E. P., Roa, R. J., and Bair, H. E.: Crystallization Behavior of Low-Density Polyethylene: Effects of Molecular Weight and Branch Concentration, 1245

Ovenall, D. W.: See Wu, T. K.

Overbergh, N.: See Groeninckx, G.

Pakula, T., and Soukup, Z.: New Apparatus for Supermolecular Studies of Thin Polymer Films by Small-Angle Light Scattering, 2437

Papkov, S. P., Kulichikhin, V. G., Kalmykova, V. D., and Malkin, A. Y.: Rheological Properties of Anisotropic poly (Para-Benzamide) Solutions, 1753

Paul, D. R.: Further Comments on the Relation Between Hydraulic Permeation and Diffusion, 1221

——: See Kemp, D. R.

Pearce, D. L.: See Hutchinson, J. M.

Pearce, E. M.: See Shalaby, S. W.
Pearson, D. S., Skutnik, B. J. and Bohm, G. G. A.: Radiation Crosslinking of Elastomers. I. Polybutadienes, 925
Peiffer, D.: See Chang, C.
Pelzbauer, Z., and Lednicky, F.: Removal of the Craze Layer from a Polymer Fracture Surface by Etching in a Glow Discharge, 2173
Pennline, H. W.: See Graessley, W. W.
Penwell, R. C., and Graessley, W. W.: Difference in Viscosity Among Narrow-Distribution Polystyrenes of Molecular Weight, 213
——, ——, and Kovacs, A.: Temperature Dependence of Viscosity-Shear Rate Behavior in Undiluted Polystyrene, 1771
Peterlin, A., and Yasuda, H.: Comments on the Relation Between Hydraulic Permeability and Diffusion in Homogeneous Swollen Membranes, 1215
——: See Olf, H. G.
Peterman, J.: See Cayrol, B.
Peticolas, W. L.: See Olf, H. G.
Petropoulos, J. H.: "Directional" Membrane Permeability in Polymer-Vapor Systems, 35
Picot, C., and Weill, G.: *In Situ* Characterization of Solution-Grown Polymer Single Crystals by Light Scattering and Kerr Effect, 1733
Pillai, P. K. C., and Ahuja, R. C.: Photopolarization and Depolarization Characteristics of Poly(*N*-vinyl Carbazole), 2465
Pineri, M., Meyer, C., Levelut, A. M., and Lambert, M.: Evidence for Ionic Clusters in Butadiene-Methacrylic Acid Copolymers Neutralized with Various Salts, 115
Plate, N. A.: See Naoh, O. V.
Pohl, H. A.: See Norrell, C. J.
Polmanteer, K. E.: See Langley, N. R.
Porter, R. S.: See Weeks, N. E.
Pouchly, J.: See Stejskal, J.
Prausnitz, J. M.: See Bonner, D. C.
Price, C. C.: See Doddi, N.
Prins, W.: See Wun, K. L.
Prokopova, E., and Stejskal, J.: Specific Interactions of Polyelectrolytes with Counterions, 1537
Prud'homme, R.: See Go, S.
Prud'homme, R. E.: The Alpha-Beta Transformation in Polypivalolactone. II. A Simple Mechanical Model, 2455
——, Bourland, L., Natarajan, R. T., and Stein, R. S.: Scattering of Light from Thin Polymer Films. I. Multiple Scattering, 1955
—— and Stein, R. L.: The Scattering of Light by Correlated Assemblies of Anisotropic Rods in Two Dimensions, 1805
Prud'homme, R. E.: See Misra, A.
Rackley, F. A., Turner, H. S., Wall, W. F., and Haward, N.: Preparation of Crosslinked Polymers with Increased Modulus by High-Pressure Polymerization, 1355
Radloff, M. R.: See Kleiner, L. W.
Randall, J. C.: Distribution of Monomer Configurations in Polypropylene as Determined with ^{13}C NMR, 703
Reddy, G. S.: See Wu, T. K.
Revol, J.: See Fisa, B.
Richards, R. R., and Rogowski, R. S.: Thermally Stimulated Chemiluminescence in Photo-Oxidized Poly(ethylene 2,6-Naphthalene Dicarboxylate), 89
Risen, W. M. Jr.: See Baughman, R. H.
Roche, E. J.: See Chanzy, H.
Roe, R. J.: See Otocka, E. P.
Rogers, E. C.: See Sudduth, R. D.
Rogowski, R. S.: See Richards, R. R.
Roovers, J.: See Hadjichristidis, N.
Sacher, E., and Sedor, D. G.: The Possibility of Further Imidization in Polyimide Film, 629
Sakurada, I.: See Kaji, K.
Sakurai, K., Miyasaka, K., and Ishikawa, K.: Thickening of Crystals During Rapid Heating, 1587
Samuels, R. J.: Small-Angle Light Scattering and Crystallization Processes in Solid Polymer Films, 1417
Sanchez, E.: See Lemaire, B.
Sarko, A.: See Unbehend, J. E.
Sass, S. L.: See Thomas, E. L.
Sasuga, T., and Takehisa, M.: Dynamic Viscoelastic Properties of Unsintered Polytetrafluoroethylene, 1889
——, and ——: Viscoelastic Properties of Low Molecular Weight Sintered Polytetrafluoroethylene, 2577

Savolainen, A., and Tormala, P.: Spin Probe Studies on Molecular Motions of 2,6-Disubstituted Poly(phenylene Oxides) Near Glass Transition, 1251
Sawa, G., Ito, O., Morita, S., and Ieda, M.: Dielectric Properties of Polystyrene Formed in a Glow Discharge, 1231
Sawada, K.: See Tanaka, A.
Schouten, A. J.: See Lemstra, P. J.
Schultz, J. M.: See Kleiner, L. W.
Schulz, G. V.: See Bohm, L. L.
Schwarcz, A.: Surface Tension of Polymer Mixture and Copolymers, 1195
Seguchi, T., Suwa, T., Tamura, N., and Takehisa, M.: Morphology of Polytetrafluoroethylene Prepared by Radiation-Induced Emulsion Polymerization, 2567
Shalaby, S. W., Fredericks, R. J., Pearce, E. M., and Wenner, W. M.: Structure of Poly(*N*-methyl Laurolactam), 223
Shelton, J. R.: See Coleman, M. M.
Shimada, J., Fijii, M., and Yamakawa, H.: Convergence of the Distribution Functions for Wormlike Chains, 2075
——: See Fujii, M.
Shimizu, M.: See Hamanoue, K.
Shimomura, Y.: See Nagasawa, T.
Shinbach, E. S.: See Grassley, W. W.
Shinohara, K.: See Hama, Y.
Shintaku, T.: See Kaji, K.
Shishido, S.: See Ito, Y.
Shporer, M., Vega, A. J., and Frommer, M. A.: Diamagnetic Susceptibility Effects in NMR Measurements of the Properties of Water in Polymeric Membranes, 645
Silverman, J.: See Hamanoue, K.
Sipilla, R.: See Lofgren, B.
Skutnik, B. J.: See Pearson, D. S.
Slonimsky, G. L.: See Godovsky, Yu. K.
Smets, G.: See Groeninckx, G.
Smith, K. J. Jr.: Thermoelasticity of Weak Polyelectrolyte Networks, 7
Smith, T. L.: Tensile Strength of Polyurethane and Other Elastomeric Block Copolymers, 1825
Sokolskii, V. A.: See Nikolskii, V. G.
Solc, K.: On Critical Concentration Determination, 555
——: Relation Between the Critical Point and the Precipitation Threshold, 1867
Solunov, H., and Vassilev, T.: Thermostimulated Depolarization Currents and Thermoelectret Effects in Poly(methyl Methacrylate), 1273
Soukup, Z.: See Pakula, T.
Spatorico, A. L.: Dilute Solution Characterization of a POLA Polyester, 159
Statton, W. O.: See Wool, R. P.
Stein, R.: See Go, S.
Stein, R. L.: See Prud'homme, R. E.
Stein, R. S.: See Chang, C.
——: See Misra, A.
——: See Ong, C.
——: See Prud'homme, R. E.
——: See Yoon, D. Y.
Stejskal, J., Kratochvil, P., and Pouchly, J.: Investigation of the Interaction of a Polyelectrolyte with Low Molecular Weight Electrolytes Containing Nonidentical Counterions by Differential Refractometry, 891
——: See Prokopova, E.
Štol, M.: See Nicolais, L.
Struik, L. C. E.: See Bree, H. W.
Sudduth, R. D., and Rogers, E. C.: Relationship Between Structure and Transport in Cellulose Acetate Desalination Membranes, 1667
Sugie, T.: See Kurata, M.
Suwa, T.: See Seguchi, T.
Szu, S. C., and Hermans, J. J.: The Effect of Inertia on the Intrinsic Viscosity of Polymers, 1743
Tabb, D. L.: See Coleman, M. M.
Tadano, K.: See Yano, S.
Tadokoro, H.: See Tanaka, T.
Tak, A. G. M.: See Bree, H. W.
Takahashi, K.: Rapid Healing of Crazes in Ruptured Rubber-Toughened Plastics, 1697
Takayanagi, M.: See Nagamura, T.
Takehisa, M.: See Sasuga, T.
——: See Seguchi, T.
Tamura, N.: See Seguchi, T.
Tan, J. S.: Rotational Isomeric-State Approximation for the Unperturbed Dimensions of a POLA Polyester, 175
——, and Gasper, S. P.: Dilute Solution Behavior of Polyelectrolites. Intrinsic Viscosity and Light Scattering Studies, 1785
Tanaka, A., and Ishida, Y.: Relationship Between Dielectric Behavior and Molecular Conformation of Polyisobutylene in the Rubbery State, 1283

—— and ——: Relationship Between Structure and Dielectric Behavior of Stereoregular Poly(methyl Methacrylate) in the Glassy State, 335
——, Sawada, K., and Ishida, Y.: Estimation of Molecular Structure in Amorphous Poly(ethylene Terephthalate) by Dielectric Measurements and Monte Carlo Calculations, 2157
Tanaka, H.: See Mori, T.
Tanaka, K.: See Kanamoto, T.
Tanaka, T., Chatani, Y., and Tadokoro, H.: Crystal Structure of Polyisobutylene, 515
——: See Mori, T.
Tanner, D. W., and Berry, G. C.: Properties of Cellulose Acetate in Solution. I. Light Scattering, Osmometry, and Viscometry on Dilute Solutions, 941
Thomas, E. L., Sass, S. L., and Kramer, E. J.: A Search for the Mosaic Block Structure in Polyethylene Single Crystals, 1015
Thomas, G. B., and Mark, J. E.: The Unperturbed Dimensions of *Trans*-1,4-Polybutadiene, 2393
Thomas, M.: See Norrell, C. J.
Titomanlio, G.: See Acierno, D.
Tobin, M. C.: Theory of Phase Transition Kinetics with Growth Site Impingement. I. Homogeneous Nucleation, 399
Tobolsky, A. V.: See Chang, Y. J.
Tormala, P.: See Savolainen, A.
Trainor, A.: See Gilmour, I.
Tsankin, D. Ya.: See Gerasimov, V. I.
Turner, H. S.: See Rackley, F. A.
Vemura, S.: Low-Frequency Dielectric Behavior of Poly(vinylidene Fluoride), 1177
Unhehend, J. E., and Sarko, A.: Light Scattering and X-Ray Characterization of Amylose Films, 545
Utracki, L. A.: Rheology of Poly(vinyl Chloride) Melts. II. Shear Rate-Dependent Properties, 563
Vanderschueren, J.: Stability of Heterocharges in Poly(methyl Methacrylate) Thermoelectrets. I. Effect of Humidity on Thermal Current Spectra, 991
Vassilev, T.: See Solunov, H.
Vega, A. J.: See Shporer, M.
Von Dohlen, W. C.: See Wilson, T. P.
Wada, I.: See Okamoto, H.
Wada, T.: See Arai, H.
Wada, Y.: See Hayakawa, R.
——: See Okamoto, H.
——: See Nakajima, H.
——: See Yano, O.
Wall, L. A.: See Brown, D. W.
Wall, W. F.: See Rackley, F. A.
Wang, F. W., and Zimm, B. H.: Approximate Theory of the Viscoelasticity of Chain-Molecule Solutions not Infinitely Dilute, 1619
——, and ——: The Viscoelasticity of Polymer Solutions: Comparison of Theory and Experiment, 1639
Wang, T. T.: Morphology and Mechanical Properties of Crystalline Polymers. III. Deformation of Spherulites in Polyethylene, 145
Watanabe, K.: See Hama, Y.
Weeks, N. E., and Porter, R. S.: Mechanical Properties of Ultra-Oriented Polyethylene, 635
Weill, G.: See Picot, C.
Weitz, A., and Wunderlich, B.: Thermal Analysis and Dilatometry of Glasses Formed Under Elevated Pressure, 2473
Wenner, W. M.: See Shalaby, S. W.
White, J. R.: A Systematic Experimental Study of Moiré Patterns in the Electron Image of Solution-Grown Polyethylene Crystals, 2375
Williams, J. G.: See Ebdon, M. P.
Williams, M. C.: See Leary, D. G.
——: See Bazua, E. R.
Wilson, T. P., Von Dohlen, W. C., and Koleske, J. V.: Copolymers of Ethylene with Norborene Derivatives-Dynamic Mechanical Properties, 1607
Wintle, H. J.: Time-Dependent Photocurrents in Polyethylene, 2135
Wool, R. P., and Statton, W. O.: Polarized Infrared Studies of Stress Relaxation and Creep in Polypropylene, 1575
Wu, C.: Pressure and Temperature Effects on the Vibrational Frequencies of Crystalline Polymethylene. II. Infrared-Active Rocking Models, 2493
Wu, T. K., Ovenall, D. W., and Reddy, G. S.: Nuclear Magnetic Resonance Studies on Microstructure of Ethylene Copolymers. VI. Carbon-13 Spectra of Ethylene-Vinyl Acetate Copolymers, 901

Wun, K. L., and Prins, W.: Assessment of Nonrandom Crosslinking in Polymer Networks by Small-Angle Light Scattering, 533

Wunderlich, B., and Mehta, A.: Macromolecular Nucleation, 255

——: See Mucha, M.

——: See Weitz, A.

Wundrich, K.: Effect of Temperature and Physical State on the Inhibition by Additives of Radiation-Induced Degradation of Poly(methyl Methacrylate), 201

Yamakawa, H.: See Fujii, M.

——: See Shimada, J.

Yamamoto, M.: See Kato, Y.

Yamamura, H.: See Inamura, I.

Yano, O., and Wada, Y.: Effects of Peroxide Bonds and Their Degradation Products on the Dielectric Relaxations of Polystyrene, 665

Yano, S., Tadano, K., Aoki, K., and Koizumi, N.: Alternating-Current Ionic Conductance and Dielectric Relaxation of Poly(vinylidene Fluoride) at High Temperatures, 1875

Yasuda, H.: See Peterlin, A.

Yoon, D. Y., Chang, C., and Stein, R. S.: An Improved Model for Crystalline Orientation of Spherulitic Polymers, 2091

——, and Stein, R. S.: Effect of Interference Between Anisotropic Scattering Entities on Light Scattering from Polymer Films. II. The Correlation Function Approach, 735

——, and Stein, R. S.: A Lattice Theory of Light Scattering from Disordered Spherulites, 763

——: See Ong, C.

Zhurkov, S. N., and Korsukov, V. E.: Atomic Mechanism of Fracture of Solid Polymers, 385

Ziegel, K. D., and Eirich, F. R.: Isotope Effect in Gas Transport. II. Effect of the Glass Transition on the Size of the Free Volume Element, 1127

Zimm, B. H.: See Wang, F. W.

Zlatkevich, L. Yu.: See Nikolskii, V. G.

SUBJECT INDEX, VOLUME 12

Adsorption: of anionic dyes in nylon 6, 1465
of counterions by aqueous polyelectrolyte, 891
of counterions by polycations, 1537
of gases and relaxation of polysiloxanes, 2281
of gases in filled silicone rubber, 485
of gases and crazing of polypropylene, 2209
of water in poly(vinyl formal) films, 1
Aggregation of cellulose acetate in solution, 941
Amylose, light scattering and x-ray diffration of, 545
Amylose tripropionate, dilute solution conformation of, 407
BBB polymer, cryoscopy in sulfuric acid solutions of, 2253
Birefringence: Kerr effect in poly(ethylene oxide), 1733
measurement in nonuniform medium, 1319
of cellulose acetate desalination membranes, 1667
of crosslinked polybutadiene, 1599
of crosslinked polyisobutylene, 187
of drawn poly(ethylene terephthalate), 1477
of lamellar crystalline polymer, 1441
of model filled rubbers, 1899
of spherulites, 763
solvent effects on (theory), 2319
Branching, effect on flow properties of polydisperse polymers, 2047
Brillouin spectroscopy of poly(methyl methacrylate), 713
Butadiene, kinetics of grafting to poly(vinyl chloride), 1189
Butadiene-methacrylic acid copolymer, ion clusters in salts of, 115
Cellulose, GPC study of methanolysis of, 1347
Cellulose acetate: dilute solution properties of, 941
fibrous transformations in, 2583
structure and transport in desalination membranes of, 1667
water permeability in membranes of, 1
Cellulose esters: solvent-free crystals of, 1117
water-swollen, NMR spectra of, 645
Chain dimensions of cellulose acetate in dilute solutions, 941
Chain conformation: of cellulose triacetates, 2583
of crystalline polyethylene, 2551
of ethyl acrylate—acrylic acid copolymer, 1785
of POLA polyester, 175
of polybutadiene, 2393
of poly(*tert*-butylethylene oxide), 1395
of poly(ethylene terephthalate), 2157
Chain folding in polyethylene, 359, 2291
Chain scission: in irradiated polystyrene solution, 1849
in stressed polymers, 385
Chains: distribution functions of worm-like, 1327, 2075
effect of excluded volume on end-to-end distance of, 417
polydiacetylene, π-electron distribution in, 2189
solvent interaction with segments of (theory), 2319
Chemiluminescence in poly(ethylene 2,6-naphthalene dicarboxylate), 89
Chromatography: see gas chromatography, gel permeation chromatography and precipitation chromatography
Conductivity: of polyphthalocyanines, 913
of poly(vinyl chloride), 2399, 2409
of poly(vinylidene fluoride), 1875
Conformation: of amylose tripropionate in dilute solution, 407
of poly(methyl methacrylate), 335
of rubbery polyisobutylene, 1283
Conformational equilibrium in poly(*N*-methyl laurolactam), 223
Conformational relaxation of poly(methacrylic acid), 2413
Copolymers: butadiene-methacrylic acid, ion clusters in salts of, 115
ethyl acrylate-acrylic acid, dilute solution properties of, 1785
ethylene-norbornene derivatives, dynamic mechanical properties of, 1607

ethylene-propylene, fractionation of, 785
ethylene-vinyl acetate, C^{13} NMR spectra of, 901
ethylene-vinyl acetate, solubility of cyclohexane and isooctane in, 51
siloxane block, morphology of, 317
statistical thermodynamics of ABA block, 265
styrene-butadiene, crosslinking and stress relaxation in, 131
styrene-butadiene, modulus of, 2153
styrene-divinylbenzene, high pressure polymerization of, 1355
surface tension of, 1195
tensile strength of elastomeric block, 1825
tetrafluoroethylene, with propylene and isobutylene, glass and melting transitions of, 1303
thermoelasticity of, 1207
Craze healing after rupture, 1697
Crazing: of polycarbonate, 1979
of polypropylene, effect of morphology gases and temperature on, 2209
of styrene polymers, x-ray study of, 1239
Crosslinked polymers: dynamic mechanical properties of polypeptides, 501
glass transition and shear modulus in polyesters, 1925
light scattering by swollen networks, 533
mechanical behavior of poly(2-hydroxyethyl methacrylate), 2579
model for swelling of networks, 1089
optical anisotropy of butyl rubber, 187
preparation under high pressure, 1355
radiation crosslinking of polybutadienes, 925
relation of elastic modulus to crosslinks and entanglements, 1023
relaxation in polyesters, 2111
relaxation in styrene-butadiene, 131
stress-strain birefringence of polybutadiene, 1599
tear behavior of, 289
thermoelasticity of weak electrolyte networks, 7
thermoluminescence of irradiated rubber blends, 1259
viscoelastic properties of butyl rubber-polyisobutylene mixtures, 2361
Cryoscopy of sulfuric acid solutions of BBB polymer, 2253
Crystal orientation in spherulitic polymers (model), 2091
Crystal structures of polyisobutylene, 515
Crystals: single, solid-state synthesis of, 1511
thickening of, during rapid heating, 1587
Crystallinity: effect on dynamic mechanical properties of polyethylene, 635
of poly(*p*-biphenyl acrylate) and poly(*p*-cyclohexylphenyl acrylate), 23
of poly(*N*-methyl laurolactam), 223
of polysiloxanes, 587
of spherulites from light scattering data, 1417
of swollen and annealed polypropylene, 2267
Crystallite sizes of nylon 6, 1491
Crystallization: from melts, kinetics of, 1053
in films, apparatus for light scattering study of, 2437
light scattering and Kerr effect in, 1733
molecular nucleation in, 255
of cellulose ester free of solvent, 1117
of diazomethane during polymerization, 1993
of polyethylene, 1245, 2291, 2309, 2331, 2423, 2551
of poly(ethylene terephthalate), 1303
of siloxane block copolymers, 317
secondary, of polystyrene, 1565
Deformation: ESR study of radical formation during, 2019
of chains in polypivalolactone, model for, 2455
of film, light scattering apparatus for study of, 2437
of model filled rubber, 1899
of spherulites in polyethylene, 145, 2035, 2291
sliding in polytetrafluoroethylene crystals (theory), 81
Degradation: of cellulose by methanolysis, 1347
of poly(methyl methacrylate), inhibition of, 201
of polystyrene containing peroxide bonds, 665
Depolarization: of photoelectrets in poly(*N*-vinyl carbazole), 2465
of thermoelectrets in poly(methyl methacrylate), 991, 1273
Desalination membranes, structure and transport in, 1667
Diazomethane, kinetics of polymerization of, 1993
Dielectric behavior: of polyazophenylenes, 1547

of poly(ethylene terephthalate), 2157
of polyphthalocyanines, 913
of polystyrene formed in glow discharge, 1231
of poly(vinylidene fluoride), 1177, 1727, 1875
of rubbery polyisobutylene, 1283
Dielectric relaxation: distribution of, 1707
in glassy polymers (theory), 2119
of drawn poly(ethylene terephthalate), 1477
of poly(methyl methacrylate), 335, 991, 1273
of polystyrene containing peroxide bonds, 665
of poly(vinylidene fluoride), 1875
Differential enthalpic analysis of metallic salts of butadiene-methacrylic acid copolymer, 115
Differential scanning calorimetry: of crystallization from melts, 1053
of glasses formed under pressure, 2473
of liquid sulfur, 815
of polyethylene, 635, 2423
of poly(ethylene terephthalate), 1477
of polyimide film, 629
of poly(*N*-methyl laurolactam), 223
of polystyrene, 1565
of poly(vinylidene fluoride), 1727
of semicrystalline polysiloxane, 587
of styrene-butadiene-styrene block copolymer, 265
Differential scanning calorimetry of melting: of branched polyethylene, 1245
of irradiated poly(methyl methacrylate), 201
of poly(*p*-biphenyl acrylate) and poly(*p*-cyclohexylphenyl acrylate), 23
of polymethylene, 1993
of polypropylene single crystals, 1649
of tetrafluoroethylene copolymers with propylene and isobutylene, 1303
Differential thermal analysis: of crystallization from melts, 1053
of degradation of polystyrene, 217
of polymethylene, 1993
of polystyrene containing peroxide bonds, 665
Diffusion: of anionic dyes in nylon, 1465
of gases in filled silicone rubber, 485
of gases in polymer films, 1127
of gases in polypropylene, crazing affected by, 2209
of inert gases through homopolymers, 97
of solvents in swollen membranes, 1215, 1221
of water in poly(vinyl formal)membranes, 1
Dilatometry: and crystallization kinetics of melts, 1053, 2331, 2551
of glasses formed under high pressure, 2473
Dynamic mechanical properties: in transition region of crosslinked polyesters, 1925
of copolymers of ethylene with norborene derivatives, 1607
of crosslinked polypeptides, 501
of densified glassy polymers, 1857
of glass-filled epoxy resin, 1555
of materials immersed in liquids, 1211
of metallic salts of butadiene-methacrylic acid copolymer, 115
of polydivinylbenzene prepared under high pressure, 1355
of poly(isobutylene oxide), 1457
of ultra-oriented polyethylene, 635
theory of relaxation in glassy polymers, 2119
Electron microscopy: of cellulose polyester crystals, 1117
of crazing of polypropylene, 2209
of crystalline polystyrene, 1565
of filled poly(ethylene terephthalate), 303
of fracture surfaces of poly(vinyl chloride), 579, 1081
of polydiacetylene single crystals, 1511
of polyethylene, 1015, 1145, 1267, 2291, 2331, 2375, 2423
of polymethylene, 1993
of polyoxymethylene hedrites and ovoids, 471
of polypropylene single crystals, 1649
of polytetrafluoroethylene, 1805, 2567
of siloxane block copolymers, 317
of styrene-butadiene-styrene block copolymer, 265
Electron paramagnetic resonance: see ESR
Electron spin resonance (ESR): in deformation of poly(*p*-(2-hydroxyethoxy) benzoic acid) fibers, 2019
in grafting of butadiene to poly(vinyl chloride), 1189
of metallic salts of butadiene-methacrylic acid copolymer, 115
of poly(phenylene oxides), 1251

Electrophoretic mobility of polycations, interaction with counterions, 1537
Epoxy resin, glass-filled, dynamic mechanical properties of, 1555
Ethyl acrylate-acrylic acid copolymer, dilute solution properties of, 1785
Ethylene-propylene copolymer, fractionation of, 785
Ethylene-vinyl acetate copolymer: C^{13} NMR spectra of, 901
solubility of cyclohexane and isooctane in, 51
Excluded volume effect: applied to optical anisotropy, 417, 1137
in cellulose acetate solutions, 941
Fluorescence in poly(ethylene 2,6-naphthalene dicarboxylate), 89
Fractionation by precipitation chromatography, optimization of, 239
Fracture: atomic mechanism of, 385
craze and crack growth in polycarbonate, 1979
of adhesive joints, 295
of polypropylene, effect of morphology, gases and temperature on, 2209
surface of poly(vinyl chloride), 579, 1081
tensile strength of polyurethane and other elastomeric block copolymers, 1825
Gas chromatography of alkanes in polydimethylsiloxane, 2065
Gas permeation through membranes, 97
Gel permeation chromatography (GPC): choice of solvent for, 813
column efficiency in, 1969
of amylose tripropionate, 407
of cellulose acetate, 941
of high molecular weight polystyrene, 871
of POLA polyester in tetrahydrofuran, 159
of polyethylene, 2423
of polystyrene containing peroxide bonds, 665
optimizing high-speed method for, 1339
Glass transition: effect of drawing upon, 1477
of copolymers of tetrafluoroethylene with propylene and isobutylene, 1307
relaxations in crosslinked polyesters near the, 1925, 2111
Glassy polymers: theory of local mode relaxation in, 2119
thermal analysis and dilatometry of, 2473
Infrared spectra: of crystalline polymethylenes, 2493
of polybutadiene, 445
of polyimide film, 629
of poly(*N*-methyl laurolactam), 223
of stressed polyethylene, 385
polarized, viscoelastic properties in polypropylene from, 1575
Intrinsic viscosity: effect of inertia on, 1743
models for dilute solution polymer dynamics, 825
of amylose tripropionate, 407
of cationic polyelectrolytes, 1941
of ethyl acrylate-acrylic acid copolymer, 1785
of POLA polyester in tetrahydrofuran, 159
of polybenzamide, 1753
of poly(*tert*-butylethylene oxide), 1395
of polyethylene, 1499
of poly(L-glutamic acid), 795
of polyisoprenes, linear and branched, 2521
of poly(methyl methacrylate), 2347
of polymethylene, 1993
of polystyrene, 871, 1639
Kinetics: of bond scission in stressed polymers, 385
of craze and crack growth in polycarbonate, 1979
of decay of chemiluminescence in poly(ethylene-2,6-naphthalene dicarboxylate), 89
of formation of polymethylene, 1993
of gas sorption in filled silicone rubber, 485
of grafting of butadiene to poly(vinyl chloride), 1189
of macromolecular reactions resulting in composition heterogeneity, 1711
of radical decay in poly(methyl methacrylate), 75
of spreading of polystyrene on glass, 431
of thermal decomposition of polystyrene, 217
of vinyl polymerization, chain termination and transfer in, 2163
time-dependent photocurrents in polyethylene, 2135
Kinetics of crystallization: from melts, 1053
of filled poly(ethylene terephthalate), 303

of polyethylene under high pressure, 2331
of polymethylene, 1993
nucleation in phase transitions, 399
Light Scattering: apparatus for study of films, 2437
from amylose films, 545
from anisotropic rods, 1805
from deformed spherulite (theory), 1371
from hedrites, ovoids, and spiral ovoids, 455, 471
from model filled rubbers, 1899
from narrow fractions of polyethylene, 1485
from polyoxymethylene, 471
from spherulitic films, 1417, 1955
from swollen networks, 533
shapes of patterns for spherulites, 735, 763
temperature dependence of Brillouin scattering, 713
Light scattering in solutions: during crystallization of poly(ethylene oxide), 1733
of amylose tripropionate, 407
of cationic electrolytes, 1941
of cellulose acetate, 941
of ethyl acrylate-acrylic acid copolymer, 1785
of linear and branched polyisoprenes, 2521
of POLA polyester in tetrahydrofuran, 159
of poly(*tert*-butylethylene oxide), 1395
of polyethylene, 1499
of polystyrene, 871, 1639
Mechanical behavior: of crosslinked and branched poly(2-hydroxyethyl methacrylate), 2579
of polyethylene under high pressure, 2551
of swollen networks, 533
Mechanical properties: bulk modulus in a constrained solid, 1939
modulus of block copolymers, 2153
of densified glassy polymers, 1857
of polyethylene in deformation, 145
Melting behavior: of copolymers of tetrafluoroethylene with propylene and isobutylene, 1303
of polyethylene, 2331
of polymethylene, 1993
of sulfuric acid solutions of BBB polymer, 2253
Moiré patterns in electron microscopy of polyethylene, 2375
Molecular motion: in carbon-black filled rubber, 685
in glassy polymers, 2473
in polyethylene, 1267
in poly(phenylene oxides), 1251
in polytetrafluoroethylene, 1889
Molecular nucleation in macromolecular crystallization processes, 255
Molecular structure of BBB polymer in sulfuric acid, 2253
Molecular weight distribution: determined by precipitation chromatography, 239
effect on spreading of polystyrene on glass, 431
effect on viscoelastic properties, 849
in self-condensation of trifunctional monomer, 809
of cellulose degraded by methanolysis, 1347
of ethylene-propylene copolymers, 785
of high molecular weight polystyrene, 871
of irradiated polystyrene, 1849
of POLA polyester, 159
of poly(methyl methacrylate), 2347
Molecular weights: effect on crystal morphology of polyethylene, 1145
of POLA polyester, 159
of polystyrenes, discrepancy in, 213
Morphology: etching technique for study of, 1163
light scattering by hedrites, ovoids and spiral ovoids, 455, 471
of ABA block copolymers, 265
of amylose films, 545
of cellulose ester single crystals, 1117
of cellulose triacetate, 2583
of filled poly(ethylene terephthalate), 303
of nylon 6, 977
of polyethylene, 1015, 1145, 2423
of polymethylene, 1993
of polypropylene, 1649, 2209
of polysiloxanes, 587
of polytetrafluoroethylene, 2567
of siloxane block copolymers, 317
Networks: light scattering and mechanical behavior of swollen, 533
relaxations in crosslinked polyesters, 2111
sorption of vapor in molten polymers, 51

thermoelasticity of poly(vinyl alcohol)-poly(acrylic acid), 7
transport of solvent through, 1215, 1221
Nuclear magnetic resonance (NMR): C^{13} spectra of ethylene-vinyl acetate copolymers, 901
C^{13} spectrum of polypropylene, 703
of linear polyester crystals, 2535
of rubber filled with carbon black, 685
of poly(ethylene oxide), 2507
of polyisobutylene, 1283
of poly(*N*-methyl laurolactam), 223
of poly(methyl methacrylate), 335
of polymethylsiloxanes, 2281
of poly(vinyl chloride), 655
of swollen cellulosic membranes, 645
Nucleation: of filled poly(ethylene terephthalate), 303
in crystallization of polyethylene, 1235, 2309
in phase transition kinetics, 399
molecular, in crystallization of macromolecules, 255
Nylon 6: crystalline texture of, 977
crystallite sizes of, 1491
diffusion of anionic dyes in, 1465
etched surfaces of, 1163
thickening of crystals during rapid heating of, 1587
Nylon 66, etched surfaces of, 1163
Nylon 610, small-angle light scattering from films of, 1417
Optical anisotropy: effect of excluded volume on, 417, 1137
of crosslinked polyisobutylene, 187
Optical microscopy: of etched crystalline polymers, 1163
of nylon 6, 977
of polyethylene single crystals, 1015
of polymethylene, 1993
of polyoxymethylene hedrites and ovoids, 471
of polypropylene, 2209
of semicrystalline polysiloxane, 587
Osmotic pressure: of amylose tripropionate, 407
of BBB polymer in sulfuric acid, 2253
of cellulose acetate, 941
of linear and branched polyisoprenes, 2521
of POLA polyester in tetrahydrofuran, 159
of poly(*tert*-butylethylene oxide), 1395
of polyethylene, 1499
Parachor, 1407
Permeation: directional, of nonhomogeneous membranes by vapor, 35
of cellulose acetate desalination membranes by water, 1667
of nylon 6 by anionic dyes, 1465
of polymer membranes by gases, 97, 1127
of swollen membranes by liquids, 1, 1215, 1221
Phase equilibria: critical concentration of polydisperse polymer-solvent system, 555
Phase separation: in ABA block copolymers, 265
of polyethylene in diphenyl ether, 1499
of polypropylene in poor solvents, 441
relationship of critical point and precipitation threshold, 1865
Phase transition kinetics, 399
Phenolphthalein, thermal analysis and dilatometry of glassy, 2473
Photocurrents: in polyethylene, 2135
in poly(*N*-vinyl carbazole), 2465
POLA polyester: chain conformation of, 175
dilute solution characterization of, 159
Poly(acrylic acid): dynamic viscosity of solutions of, 1035
thermoelastic behavior in networks of, 7
Polyamides: structure of poly(*N*-methyl laurolactam), 223
Polyazophenylenes, dielectric behavior of, 1547
poly(*p*-biphenyl acrylate), calorimetric study of, 23
Poly(*p*-benzamide), rheological properties of solutions of, 1753
Polybutadiene: chain conformation in, 2393
radiation crosslinking of, 925
stress-strain-birefringence in networks of, 1599
vibrational frequencies of chain of, 445
Poly(*tert*-butylethylene oxide), dilute solution properties of, 1395
Polycarbonate: craze and crack growth in, 1979
dynamic mechanical properties of densified, 1857
thermoluminescence of irradiated, 1109
Polychlorotrifluoroethylene, etched surfaces of crystals of, 1163
Poly(*p*-cyclohexylphenyl acrylate), calorimetric study of, 23

Polydiacetylene: solid-state synthesis of single crystals of, 1511
thermal expansion of crystals of, 2189
Polydimethylsiloxane: gas chromatography of alkanes in, 2065
plasticization by gases under high pressure, 2281
Polydivinylbenzene, formed under high pressure, 1355
Polyelectrolytes: dynamic viscosity of poly(acrylic acid) solutions, 1035
dynamic viscosity of poly(methacrylic acid), 2413
interaction with low molecular weight electrolytes, 891
ion clusters in metallic salts of butadiene-methacrylic acid copolymers, 115
solution properties of cationic polymers, 1941
specific interactions with counterions, 1537
thermoelasticity of networks of weak, 7
Polyesters, morphology related to chemical structure of, 2535
Poly(ethyl methacrylate), diffusion of gases in, 1127
Polyethylene: creep recovery in, 1255
crystallization behavior of, 1245, 2291, 2309, 2331, 2551
deformation of spherulites in, 145, 2035
diffusion of inert gases in, 97
dilute solution properties of, 1499
dynamic mechanical properties of, 635
electrom microscopy of crystals of, 1145
form birefringence of, 1441
infrared study of, 385, 2493
lamellar thickness and melting of, 255
light scattering of narrow fractions of, 1485
moiré patterns in electron microscopy of, 2375
morphology and polymerization temperature of, 2423
optical microscopy of single crystals of, 1015
Raman spectra of, 359
spherulite sizes in, 819, 1235, 1955
thermoluminescence of irradiated, 1267
thickening of crystals by heating of, 1587
time-dependent photocurrents in, 2135
Poly(ethylene-2,6-naphthalene dicarboxylate), chemiluminescence in, 89
Poly(ethylene oxide): light scattering and Kerr effect in, 1733
NMR study of, 2507
Poly(ethylene sebacate), crystal morphology of, 2535
Poly(ethylene terephthalate): crystallization affected by fillers in, 303
glass transition affected by drawing of, 1477
Poly(L-glutamic acid): dynamic mechanical properties of, 501
dynamic viscosity of solutions of, 795
Poly(hexamethylene sebacate), crystal morphology of, 2535
Poly[*p*-(2-hydroxyethoxy benzoic acid)], ESR study of deformed, 2019
Poly(2-hydroxymethyl methacrylate): light scattering from swollen networks of, 533
mechanical behavior of, 2579
Polyimide, extent of conversion in films of, 629
Polyisobutylene: crystal structure of, 515
dielectric behavior of rubbery, 1283
solubility of benzene and cyclohexane in, 51
strain birefringence of, 187
Polyisoprene: solubility of benzene in, 51
synthesis and solution properties of linear and branched, 2521
Polymethylene: infrared spectra of, 2493
kinetics of formation from diazomethane, 1993
Poly(*N*-methyl laurolactam), structure of, 223
Poly(methyl methacrylate): Brillouin scattering in, 713
dielectric relaxation of, 335
dynamic mechanical properties of densified, 1857
flow properties of solutions of, 2347
inhibition of degradation of, 201
kinetics of free radical decay in, 75
thermal analysis and dilatometry of glassy, 2473
thermal depolarization of, 991, 1273
Polyoxymethylene, light scattering from hedrites and ovoids in, 471
Polypeptides, crosslinked, dynamic mechanical properties of, 501
Poly(phenylene oxides), ESR spectra of, 1251
Polyphthalocyanines, electronic conduction and polarization in, 913
Polypivalolactone, model for alpha-beta transformations in, 2455

Polypropylene: C^{13} NMR of, 703
crystal morphology of, 1649
etched surfaces of crystals of, 1163
infrared study of viscoelasticity in, 1575
phase equilibria in poor solvents, 441
small-angle light scattering from films of, 1417
stress crazing in, 2209
viscoelastic behavior of swollen and annealed, 2267
Poly(1,2-propylene phthalate fumarate), crosslinked, relaxations in transition region of, 2111
Polysiloxanes: dynamic mechanical properties of, 587
elastic modulus and crosslinking in, 1023
gas chromatography of alkanes in, 2065
non-Newtonian viscosities in bulk and solutions, 617
plasticization by high pressure gases, 2281
Polystyrene: chain scission in irradiated solutions of, 1849
crazing of, 1239
dielectric properties of, 665, 1231
discrepancy in molecular weights of, 213
dynamic mechanical properties of densified, 1857
GPC of, 813, 1339, 1969
kinetics of formation of, 2163
molecular weight distribution from precipitation chromatography, 239
secondary crystallization of, 1565
solution properties of, 871
spreading on glass of, 431
thermal analysis and dilatometry of glassy, 2473
thermal decomposition of,217
viscoelastic properties of, 849, 1639, 1771
Polytetrafluoroethylene: calculation of stress-strain relations for, 81
diffusion of inert gases in, 97
electron microscopy of, 1805, 2567
viscoelastic properties of, 1889, 2577
Polyurethane, tensile strength of, 1825
Poly(vinyl acetate): flow properties in solutions of branched, 2047
solubility of isooctane in, 51
Poly(*N*-vinyl carbazole,) photopolarization of, 2465
Poly(vinyl chloride): dynamic mechanical properties of densified, 1857
electrical conductivity in, 2399
fracture surfaces of, 579, 1081
kinetics of grafting by butadiene, 1189
molecular relaxation in, 2409
NMR spectra of, 655
shear rate-dependent properties in melts of, 555
Poly(vinyl fluoride), diffusion of gases in, 1127
Poly(vinyl formal), water permeability of membranes of, 1
Poly(vinylidene fluoride): dielectric behavior of, 1177, 1727, 1875
Raman spectra of, 695
Precipitation-chromatography, optimization of conditions for, 239
Radiation-induced currents in polyethylene, decay of, 2135
Radicals: decay of, in poly(methyl methacrylate), 75
formation of, during tensile deformation, 2019
Raman spectra: of polybutadiene, 445
of polydiacetylene, 2189
of polyethylene, 359
of poly(vinylidene fluoride), 695
of tetramethylthiuram sulfides, 1001
Refractive index of solutions: of cellulose acetate, 941
of polyelectrolytes, 891, 1941
Refractivity, molar, application to polymer characterization, 1407
Relaxation: in crosslinked silicone rubbers, 1023
in incompressible fluids, 2195
in poly(acrylic acid) solutions, 1035
in poly(L-glutamic acid) solutions, 795
in poly(methyl methacrylate), 703
in poly(vinyl chloride), 563, 2409
in semicrystalline polysiloxanes, 587
in swollen and annealed polypropylene, 2267
theory of, for glassy polymers, 2119
Rubber, natural: diffusion of inert gases in, 97
NMR of carbon-black filled, 685
Rubber silicone: adsorption of gases in filled, 485
diffusion of inert gases in, 97
dynamic mechanical properties of, 587
elastic modulus and crosslinking in, 1023
non-Newtonian viscosities in bulk and solution of, 617
Rubbery polymers: adsorption of gases in filled silicone rubber, 485
dielectric behavior of rubbery polyisobutylene, 1283

optical study of filled polybutadiene, 1899
radiation crosslinking of polybutadienes, 925
relaxation properties and adhesion of, 295
strain birefrigence of polyisobutylene, 187
stress relaxation of styrene-butadiene, 131, 1383
stress-strain-birefrigence in networks of polybutadiene, 1599
synthesis and solution properties of polyisoprenes, 2521
tear behavior and crosslinking in, 289
tensile strength of polyurethane and other block copolymers, 1825
thermoluminescence of blends of, 1259
vibrational frequencies of polybutadiene chain, 445
viscoelastic properties of butyl rubber-polyisobutylene mixtures, 2361
Second virial coefficient, 159, 871, 941, 1395, 1499, 1941
Siloxane block copolymers, morphology of, 317
Solubility of solvents in molten polymers, 51
Sorption-desorption of vapor by molten polymers, 51
Spherulites: anisotropy of, in nylon 6, 977
correct measurement of birefrigence of, 1319
in crazing of polypropylene, 2209
in polyethylene, 145, 819, 1235, 2035
in semicrystalline polysiloxanes, 587
light scattering from (theory), 1371
model for crystalline orientation of, 2091
patterns of light scattered from, 735, 763, 1955
small-angle light scattering from, 1417, 1485
Statistical mechanics: composition heterogeneity of polymer reaction products, 1711
crystalline orientation in spherulitic polymers, 2091
dilute solution rheology of flexible macromolecules, 2177
effect of excluded volume on optical anisotropy, 417, 1137
effect of inertia on intrinsic viscosity, 1743
flow birefrigence in solutions, 2309
interference in spherulitic light scattering, 735, 763
internal viscosity models for dilute-solution polymer dynamics, 825
light scattering by assembly of anisotropic rods, 1805
model for swelling of polycondensation networks, 1089
of wormlike chains, 1327, 2075
relation between critical point and precipitation threshold, 1865
shear and normal stresses in incompressible liquids, 2195
statistical thermodynamics of ABA block copolymers, 265
viscoelasticity theory for chain-molecule solutions, 1619
Strain birefrigence of polyisobutylene, 187
Stress: craze healing in ruptured plastics, 1697
in incompressible fluids, 2195
tear behavior and crosslinking of elastomers, 289
Stress optical coefficient of filled polybutadiene, 1899
Stress relaxation: effect of crosslinking on, 131
effect on adhesion of rubber, 295
in filled styrene-butadiene rubber, 1383
in polypropylene, infrared study of, 1575
Stress-strain relations: calculated for polytetrafluoroethylene crystals, 81
in networks of poly(vinyl alcohol)-poly(acrylic acid), 7
in polybutadiene networks, 1599
in poly(isobutylene oxide), 1457
in polypivalolactone, model for, 2455
in polypropylene, 2209
in polyurethanes and other block copolymers, 1825
in spherulitic polyethylene, 145
Styrene-butadiene copolymer, stress relaxation in, 131, 1383
Styrene-butadiene-styrene block copolymers, statistical thermodynamics of, 265
Sucrose, thermal analysis and dilatometry of glassy, 2473
Sulfur, DSC of liquid, 815
Surface behavior: spreading of polystyrene on glass, 431
surface tension of polymer mixtures and copolymers, 1195
Swelling: model for polycondensation networks, 1089

water absorption in poly(vinyl formal) membranes, 1
Thermal depolarization of poly(methyl methacrylate), 991, 1273
Thermal expansion of crystalline polydiacetylene, 2189
Thermodynamic parameters: of alkane vaporization from gas chromatography in polymethylsiloxane, 2065
of crystallization from melts, 1053
of diffusion of inert gases in polymers, 97
of melting of poly(*p*-biphenyl acrylate) and poly(*p*-cyclohexylphenyl acrylate), 23
of sorption of vapors in molten polymers, 51
Thermoelasticity: of copolymer networks, 1207
of weak polyelectrolyte networks, 7
Thermogravimetric analysis of poly(*N*-methyl laurolactam), 223
Thermoluminescence: of polycarbonate, 1109
of polyethylene, 1267
of rubber mixtures, 1259
Thermomechanical analysis: of polyimide film, 629
of poly(*N*-methyl laurolactam), 223
Theta temperature of polystyrene, 871
Thiuram sulfides, vibrational spectra of, 1001
Ultraviolet spectra: of polycations with counterions, 1537
of poly(ethylene 2,6-naphthalene dicarboxylate), 89
Vapor permeability of nonhomogeneous membranes, 35
Vinyl polymerization, kinetics of, 2163
Viscoelastic properties: creep recovery, 1255
effect of molecular weight distribution on, 849
of butyl rubber-polyisobutylene mixtures, 2361
of chain-molecule solutions at finite concentration (theory), 1619, 1639
of crosslinked styrene-butadiene, 131
of polypropylene, infrared study of, 1575
of polystyrene, 1639
of polytetrafluoroethylene, 1889, 2577
of semicrystalline polysiloxanes, 587
of silicone rubber networks, 1023
of swollen and annealed polypropylene, 2267
Viscosity: dependence on shear rate in poly(vinyl chloride) melts, 563
of dilute solutions of macromolecules, 2177
non-Newtonian, in bulk and solutions of polysiloxanes, 617
shear-rate-temperature dependence in polystyrene melts, 1771
Viscosity of solutions dynamic: of poly(acrylic acid), 1035
of poly(*p*-benzamide), 1753
of poly(L-glutamic acid), 795
of poly(methacrylic acid), 2413
of poly(methyl methacrylate), 2347
of poly(vinyl acetate), 2047
X-ray diffraction: of amylose films, 533
of crazed styrene polymers, 1239
of crosslinked polypeptides, 501
of crystalline polystyrene, 1565
of linear polyesters,
of metallic salts of butadiene-methacrylic acid copolymer, 115
of nylon 6, 977, 1491, 1587
of polyethylene, 1587, 2035, 2091
of polyisobutylene, 515, 1283
of poly(isobutylene oxide), 1457
of polymethylene, 1993
of poly(*N*-methyl laurolactam), 223
of polypropylene single crystals, 1649
of siloxane block copolymers, 317
of swollen and annealed polypropylene, 2267